

**GLAZE****1. Substance/preparation and company identification**

Substance/preparation	Emergency Response Information Company
Chemical family: Polymer, dispersion	Bio Industries.CV Jl Sidikan no 94 Yogyakarta Indonesia
Synonyms: Acrylate pigmented emulsion	EMERGENCY CALL: Phn. 0274-388301 Email. Info.bioindustries@gmail.com

2. Composition/information on ingredients

This product contains considered hazardous components

Chemical name	CAS No	EC No.	Content (W/W)
Colorant	29204-84-0	215-609-9	1,0-5,0%
Ethylene Glycol	107-21-1	203-473-3	0,0-2,5%
Nonylphenol, branched, Ethoxylated	68412-54-4	500-209-1	< 0,1%

3. Hazard identification**Emergency overview**

CAUTION: MAY CAUSE EYE, SKIN AND RESPIRATORY TRACT IRRITATION. INGESTION MAY CAUSE GASTRIC DISTURBANCES.

Potential health effects**Primary routes of exposure**

Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquified gases.

Acute toxicity:

Ingestion may cause gastrointestinal disturbances.

Irritation:

Irritation is possible when the product comes in contact with the skin, respiratory tract or the eyes.

Repeated dose toxicity:

No other known chronic effects.

3. First-aid measures**General advice:**

Remove contaminated clothing.

If inhaled:

Remove the affected individual into fresh air and keep the person calm. Assist in breathing if necessary. Immediate medical attention required.

If on skin:

Wash affected areas thoroughly with soap and water. If irritation develops, seek medical attention.

If in eyes:

Flush with copious amounts of water for at least 15 minutes. If irritation develops, seek medical attention.

If swallowed:

Immediately rinse mouth and then drink plenty of water, do not induce vomiting, seek medical attention. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions.



GLAZE

4. Fire-fighting measures

Flash point: > 300 °F (Unspecified)

Autoignition: No data available.

Suitable extinguishing media: water fog, foam, dry extinguishing media

Hazards during fire-fighting: No particular hazards known.

Protective equipment for fire-fighting: Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

6. Accidental release measures

Personal precautions: Wear appropriate respiratory protection. Use personal protective clothing. Ensure adequate ventilation.

Environmental precautions: Observe environmental regulations.

Cleanup: Spills should be contained, solidified, and placed in suitable containers for disposal.

Further information: High risk of slipping due to leakage/spillage of product.

7. Handling and storage

Handling

General advice:

Handle in accordance with good industrial hygiene and safety practice.

No special measures necessary provided product is used correctly.

Protection against fire and explosion:

No explosion proofing necessary.

Storage

General advice:

Store protected against freezing.

8. Exposure controls and personal protection

Airborne Exposure Limits:

Ethylene Glycol [107-21-1]:

ACGIH Short-Term Exposure Limit (STEL): 100 mg/m³ Ceiling (aerosol only)

Advice on system design:

Provide local exhaust ventilation to maintain recommended P.E.L.

Personal protective equipment

Respiratory protection:

Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator as needed.

Hand protection:

Chemical resistant protective gloves

Eye protection:

Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

General safety and hygiene measures:

Hands and/or face should be washed before breaks and at the end of the shift. Avoid contact with skin and eyes.

GLAZE

9. Physical and chemical properties

Form	: liquid
Odors	: specified
Colors	: specified
pH value	: 7 - 8.5
<i>Information on: water</i>	
solidification temperature	:
boiling temperature	: 120 °C (1,000 hPa)
Vapors pressure	: 17.5 mmHg (20 °C)
<i>Information on: water</i>	
Vapors pressure	: 23 mbar (20 °C)
Relative density	: 1.03 (68 °F)

10. Stability and reactivity

Conditions to avoid	: Avoid extreme heat.
Substances to avoid	: no identified
Hazardous reactions	: The product is chemically stable.
Decomposition products	: Hazardous decomposition products: carbon dioxide hydrocarbons
Corrosion to metals	: No corrosive effect on metal.

11. Toxicological information**Acute toxicity**

Ethylene Glycol

Oral (rat LD50 mg/kg): > 4,700 - 10,000 mg/kg**Skin irritation** (rabbit): non-irritant (OECD Guideline 404)**Eye irritation** (rabbit): non-irritant (OECD Guideline 405)**Chronic toxicity****Other information:**

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

The statement was derived from products of similar composition.

12. Ecological information**Environmental fate and transport****Biodegradation:**

Test method : OECD 302B; ISO 9888; 88/302/EEC,part C

Method of analysis : DOC reduction

Degree of elimination : > 70 %

Evaluation : Easily eliminated from water.

The product can be virtually eliminated from water by a biotic processes e.g. adsorption onto activated sludge.

Bioaccumulation

:
Based on its structural properties, the polymer is not biologically available. Accumulation in organisms is not to be expected.

Environmental toxicity**Acute and prolonged toxicity to fish:**

OECD Guideline 203 static

zebra fish/LC50 (96 h): > 100 mg/l



GLAZE

Acute toxicity to aquatic invertebrates:

OECD Guideline 202, part 1 static
Daphnia magna/EC50 (48 h): > 100 mg/l

Toxicity to aquatic plants:

OECD Guideline 201 green algae/EC50 (72 h): > 100 mg/l Nominal concentration.

Toxicity to microorganisms:

DIN EN ISO 8192-OECD 209-88/302/EEC,P. C activated sludge, domestic/EC20 (0.5 h): > 100 mg/l
The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological. treatment plants in appropriate low concentrations.

Other ecotoxicological advice:

Do not release untreated into natural waters. At the present state of knowledge, no negative ecological effects are expected.
Ecological data are determined by analogy.

13. Disposal considerations

Waste disposal of substance:

Incinerate or dispose of in a licensed facility. Do not discharge into drains/surface waters/groundwater.

Container disposal:

Dispose of in a licensed facility. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

14. Transport information

Land transport

USDOT Not classified as a dangerous good under transport regulations

Sea transport

IMDG Not classified as a dangerous good under transport regulations

Air transport

IATA/ICAO Not classified as a dangerous good under transport regulations

15. Regulatory information

OSHA hazard category: Not hazardous

SARA hazard categories (EPCRA 311/312): Not hazardous

16. Other information

HMIS III rating

Health: 1 Flammability: 0 Physical hazard: 0

HMIS uses a numbering scale ranging from 0 to 4 to indicate the degree of hazard. A value of zero means that the substance possesses essentially no hazard; a rating of four indicates high hazard.



GLAZE

Further information :

This product is based on ingredients which are registered according to:

- EINECS (Europe)
- TSCA (USA)
- DSL (Canada)
- AICS (Australia)
- ENCS (Japan)
- ECL (Korea)
- PICCS (Phillipines)
- IECSC (China)
- ERMA (New Zealand)

Biovarnish is a registered trademark of Bio industries - Indonesia

This material safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in this data sheet which we received from sources outside the company. We believe that information to be correct but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the users obligation to evaluate and use this product safely and to comply with all applicable national/international laws and regulations. No statement made in this data sheet shall be construed as a permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either expressed or implied. The data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

END OF DATA SHEET